THOUGHTS, &c.

ETHOUGHT

WE WILLIAM THE SHIPLINE

THE RESERVE

1111 0 10

TRUE OF THE PROPERTY OF THE

-

THE THE THE

THOUGHTS

ON THE EFFECTS OF THE

APPLICATION AND ABSTRACTION

O F

STIMULI

ON THE

HUMAN BODY;

WITH A PARTICULAR VIEW TO EXPLAIN

THE NATURE AND CURE

o F

T Y P H U S.

By JAMES WOOD, M. D.

ONE OF THE PHYSICIANS TO THE DISPENSARY, AND MEMBER OF THE PHILOSOPHICAL AND MEDICAL SOCIETY, OF NEWCASTLE UPON TYNE; AN EXTRAORDINARY MEMBER OF THE ROYAL MEDICAL SOCIETY OF EDINEURGH, &c. &c.

At nostri bene computentur anni, Et, quantum tetricæ tulere febres, Aut languor gravis, aut mali dolores, A vita meliore separentur: Infantes sumus, et senes videmur.

Non est vivere, sed valere, vita. Mart. Lib. vi. Ep. lxx.

O Temperance! thou goddess most worthy to be adored! thou patroness of health! thou protector of beauty! thou prolonger of life! thou insurer of pleasure! thou promoter of business! thou guardian of the perfon! thou preserver of the understanding! thou parent of every intellectual improvement, and of every moral virtue!

DEFORMITY, an Essay, by W. Hay, Esq.

LONDON:

PRINTED FOR J. MURRAY, FLEET-STREET; AND W. CREECH, EDINBURGH;

AND SOLD BY W. CHARNLEY, R. FISHER, AND S. HODGSON,

NEWCASTLE; W. PHORSON, BERWICK; J. GRAHAM,


SUNDERLAND; R. CHRISTOPHER, STOCKTON;

AND L. PENNINGTON, DURHAM.

R21797

ADVERTISEMENT.

THE following "Thoughts" were first read, in the month of September, 1792, in a more condensed form, before the Philosophical and Medical Society of Newcastle; since which period, by the success of the practice, founded on the theory proposed, and by the favourable opinion of it expressed by many of the Author's friends, he is induced to offer the whole to the public attention.



JAMES WOOD, Efq.

SURGEON, IN BERWICK UPON TWEED.

SIR,

TO the pleasure, which, as a Son, I now add that, which, as a Professional Man, I feel, in paying a tribute of respect to whom it is due; and this is, from every one, your claim, as an experienced, and successful practitioner in Medicine, but particularly from me, on this occasion, as you, for more than thirty years, have pursued, with much success, the practice, the theory of which I now endeavour to explain.


This, Sir, I consider no small fanction to the Work, which I now present you; and the approbation you have expressed of it, with the opportunity, now given me, of declaring the satisfaction I derive from your approbation, are sources of happiness to me, which neither time, nor circumstance, can diminish, or disturb.

I am, Sir,

Your affectionate Son,

JAMES WOOD.

Newcastle upon Tyne, 7 February 11, 1793.



PREFACE.

IN this illumined æra, when the mists of darkness, which hung over almost every science, are fast dispersing by the clear light of discovery, Medicine has to boast of its attainment of a large share of those valuable rays, the bright emanations of the genius of a Monro, a Hunter, a CULLEN, a GREGORY, a WINTRINGHAM, a Versaur, a Lettsom, a Higgins, a BLACK, a HEWSON, a PRIESTLEY, a CRAWFORD, a LAVOISIER, and of others, and confequently, of the diminution of the number, in the dire list of those diseases, which its professors were obliged to distinguish by the epithet incurable. A few of that dreadful catalogue still remain, and Typhus has no claim to be yet excluded from the number; furely therefore, the efforts of any one to illustrate the nature of a disease, so common, and so frequently fatal, must be every way desirable; and may

A

we not hope, that, from repeated attempts, its theory may be gradually enlightened, and one of the crowded avenues to the grave may be closed? And may we not also safely predict, judging from the rapid progress acquired in the knowledge of philosophy, and medicine, within a very few late years, that, by similar attempts, every disease, whose nature is any way obscure, may be at last clearly explained, and the professors of medicine may find themselves in possession of the Ne plus ultra, of the temple of truth itself?

To obtain this happy refult of the efforts of united genius, an object which almost dazzles the perspective eye, we must more closely pursue the path of simple nature, and be convinced, the nearer we are to her, the sooner we will approach the end; already has all our additional knowledge proved this fact; and, strange to reslect, it appears to be the chief labour of the present

fent age, to recal from deviating ways the whole ideas, I may almost say, of the ancient professors. I need adduce only one instance in proof of this; the singular mortality among the young of the human race, which has been frequently calculated at no less an average, than that one half of them die before two years of age; more late calculators have supposed the average to be only one third, which is still a dreadful truth, and can only be explained, as the effects of intemperance, and of deviations from the Hygæian path of nature.

I will on this occasion, as well as on any other, when I may venture to give my ideas to the world, most carefully avoid the rage of theory, and will never allow myself, through the violence of defending my opinions, to collect only what is favorable, and reject whatever is inimical to those I have formed; which has been too often the cause of illusion, and retardation

A 2

in the progress of physic; but I will coolly stare unexaggerated facts, and deliberate observations. On this subject, I cannot resist adding, how cautiously we should permit novelty alone to influence the mind, either in theory, or in practice, examples of which, are too numerous, and notorious not to be known, and many too ridiculous to be acknowledged!

Equally sensible of these frailties of our nature, and of the importance of the extensive, and difficult subject, which I have at present undertaken, I am silled with apprehension at the idea of my not being able to pursue it, with satisfaction to myself, or to the world. I therefore would wish this attempt to be considered only as the outlines of a theory, which, if it be founded on any truth, may receive the digestion of time, and the correction of farther experience, and may hereafter be rendered a more perfect structure.

If, however, there should be found in these thoughts, any, beneficial to medicine, or explanatory of any obscure part of physiology, I can only claim the merit of application, and observation, as I do not pretend to apply the result of any experiments of my own, but of those of others.

Notwithstanding neither the theory, nor the practice, of the late Dr John Brown, can be received by any rational physician, and this his most enthusiastic admirers now acknowledge, yet a part of the former, has tended to explain, in the most simple and fatisfactory manner, many parts of physiology, before involved in much obscurity, and is now received, and established, in the most respectable schools of medicine. I will not point out, how far the theory, which I now offer, differs with that of Dr Brown, and how far it rests on the same foundation, as it will immediately appear to those, who are acquainted with Dr Brown's

Brown's theory; I will only remark, though, however mistaken and dangerous he may have been in his practice, or however his general theory was buried in errors and superfluities, yet the doctrine of irritability, to which his theory gave being, will ever remain, at once, an enviable monument to his memory, and an invaluable acquisition to physiological knowledge.

Or Cullen's Theory of Excitement and Collapse agrees with a part of Dr Brown's theory; but Dr Cullen has never hinted at such a state of the muscular sibre, as that of accumulated irritability; to explain this state, he is obliged to use the term sedative, which he indiscriminately applies to the effects of opium and of cold.

Every application of chemical knowledge, which I have made on this occasion, is the result of the experiments of Lavoisier; and, as I imagine his theory and nomenclature, are now generally acknowledged to be founded

founded on the truest principles, I will apply them both to my subject, and in doing so, I will always consider them as received and established axioms.

It may not perhaps be deemed superfluous to relate the origin of the following thoughts. Having, in repeated instances, exhibited the bark in Typhus unfuccessfully, and it having been taken, in many of those instances, in the most advantageous manner, I naturally began to doubt of the efficacy of this medicine in Typhus, and to feel the impossibility of my ever again relying on its powers alone. I therefore took into confideration the circumstances attending those who recovered, and the whole of the symptoms of the incipient and advanced stage of the fever; and I perceived, that those, who recovered, enjoyed, in a great degree, the means of preventing, and correcting the tendency to a putrefcent state; and that those, who died, exhi-

bited

bited that state, in a great degree, and during the course of the sever, discovered a particular anxiety, and oppression, in the act of respiration, and daily exhibited new symptoms of exhausted energy and strength.

At this time, a coincidence of ideas forced themselves on my mind. I recollected the fymptoms of accumulated carbone in Typhus; I recollected that carbone was continually accumulating in the system, in a state of health, and was carried off, in the form of carbonic acid, by its combination with oxygen in the lungs; and it occurred to me, that the oppression, and anxiety in respiration, common in Typhus, might proceed from the deficiency of oxygen, to carry off the accumulated carbone; I therefore concluded, that if oxygen could be exhibited, by any means, into the system in sufficient quantity, to combine with the superfluous morbid carbone, that the tendency to putrefaction would be checked, and the fever diminished. During

During these considerations, a medicine was brought to my remembrance, which had been used, with the greatest success, in this fever, to a very great number of patients*. I recollected, that this medicine, which was Nitre, contained oxygen, in a great quantity;—and also, as oxygen forms the basis of all acidity, that many other acids, as well as the Nitric, might have a similar effect.

Every observation, that I had made, having also induced me to consider an exhausted state of the irritability of the muscular sibre, and of the excitability of the solidum vivum, to be the common cause of death in Typhus; and as different causes of death have been assigned, by many authors; I will endeavour to shew the probability of the cause, I have mentioned, without considering that of any other cause, which

^{*} By the Author's Father.

which has been affigned. I must also here declare my intention, of neither discussing any other theory, on this subject, nor any other theory, in physiology, but merely advance my own; and, as I do not mean to make quotations from any author, on account of the labyrinth, to which such quotations might often lead; I hope I shall be excused, if I ever adopt a part of any theory, or opinion, besides those which I have generally acknowledged, without reference to the author.

As I wish to give a simple, concise, and perspicuous view of the theory I entertain, I will avoid every amplification, which might result from any part of it; and also, to answer this intention more fully, I have formed two Scales, by which it may be exhibited, at one condensed view.

It is, therefore, in order to give some foundation for these several opinions, and to endeavour to make them probable, that

I have

I have thrown together the arguments of this work; of these, I am conscious of not being able, on a first attempt, to form a folid whole; but I will always take care, that the basis of each shall not be entirely hypothetical; and I will wait for the verdict of time, on the truth of the conclufions, drawn from the combination, and refult of all.

Before I close this preface, let me declare myself a candidate, for the favour and indulgence of those, through whose ordeal this essay may pass—its author easily imagines, that in a first essay, he may be liable to the feverity of criticism; but let every imperfection be balanced, by the unobjectionable safety of his doctrines, and by the fincere desire of being of use to mankind,

THE PARTY OF THE P

P. T. J. M. L. J. S.

MANUAL TO THE TANKS

THOUGHTS

ON THE EFFECTS OF THE

APPLICATION AND ABSTRACTION

0 F

STIMULI

ON THE

HUMAN BODY;
WITH A PARTICULAR VIEW

TO EXPLAIN THE

NATURE AND CURE OF TYPHUS.

In the human living body, there are diftinctly perceived, three different kinds of folid matter; one, which possesses only the properties of all inanimate matter, called the simple folids; another, which is distinguished by the power of contraction, called the living folids, or the muscular fibre; and the third, which does not possess the power of contraction, but that of receiving impressions, and of sensation, called the medullary fibres, or the nervous system.

On the first, or simple solids, it will not be necessary here to enlarge, nor on the properties, which the muscular, and medullary solids, possess, in common, with the inanimate simple solid; but only, on the particular characteristics of each; the power of contraction of the one, and of sensation of the other.

It has been supposed, by many physiologists, that the matter of the muscular, was the same as that of the medullary sibre; and that the former, was a continuation of the latter, differently organized. It is equally applicable to the theory I entertain, whether the one is, or is not, a continuation of the other; yet, as the muscular sibre possesses a power of contraction, which the medullary does not possess, I will consider them as distinct matter; but it is not necessary here, that I should take a view of the influence, or connection of the one, on, or with the other; or take any metaphysic

eal view of the medullary matter; I am only to confider the property, which each possesses, of being acted upon by stimulant powers; and the property of sensation in the medullary fibre, when acted upon by any stimulus, I have named, in the scale I have drawn, excitability; and the property of contraction in the muscular fibre, when any stimulus is applied, I have named irritability; and as I shall always consider these two separate powers to be coeval, and existing in an equal ratio in each, I will confine myself to the consideration of the irritability of the muscular fibre, it being always understood, that whatever applies to this, the same is exactly applicable to the excitability of the medullary matter; I only wish to preserve both these terms, for the fake of clearness, and perspicuity, and to avoid all controversy on the subject.

The greater or lesser stimulus, required to excite the same degree of contraction, in a muscular

muscular fibre, will prove the existence of less, or more, of irritability, in that fibre; when so much irritability exists, as to be capable of being acted upon by the weakest fimulus, this I will term a state of Accumulated irritability; and when, on the contrary, no contraction can be produced, but by the application of a powerful stimulus, this I will term a state of exhausted irritability.

As life only exists, by the continued application of stimulant powers to the body, I will next take notice of some of these stimulant powers, consider their comparative nature in general, and afterwards, their first, and ultimate effects on the human body.

As it is now established in chemistry, that there is not such a state as cold; every degree of cold, even the most extreme degree, with which we are acquainted, being only a diminution of heat; so, in physiolo-

gy, it may be received as an axiom, that there is nothing in nature possessed of a fedative * power, but that all matter is stimulant; and that, which is called fedative, is only a diminution of the stimulant power †.

The first great, and most general, stimulus in nature, is the atmospheric air; and, by the most accurate experiments of Lavoisier, he has proved, that the stratum of air, which we inhabit, is composed of two different aeriform sluids, one of which he calls azotic gas, the other oxygen gas; and that these two gasses exist in the proportion of 73 of azotic gas to 27 of oxygen gas. He has also shewn, that the base of azotic gas, or azote, which name he has given to

that

^{*} This term is here used, with the idea commonly annexed to it; as the opposite to STIMULANT.

[†] The effect, called fedative, has been applied, by some physicians, to the operation of different articles of the Materia Medica, which are highly stimulant, to opium, camphor, &c. and with some propriety; as the more the irritability is exhausted, the more fedative will be the state of the muscular sibre.

that air, called by Dr Black bad air, and by others mephitic air, forms, with caloric, azotic gas, and that it cannot be breathed by animals, but is destructive to animal life; neither will it admit of the combustion of inflammable bodies, nor of the calcination of metals: And that the base of oxygen gas, or oxygen, by which name he distinguishes that air called vital, or dephlogisticated, in its union with caloric, forms oxygen gas, which is highly capable of respiration, and of contributing to animal life, in which metals are calcinable, and combustible bodies will burn.

However various and opposite have been the opinions of philosophers and physiologists, of the object of the singular function of respiration, yet all agree that it is essential to life, and that it cannot be suspended for any time, without exposing the animal to the danger of immediate death. It is also universally agreed, that air, or an elastic fluid, is received into the lungs in inspiration; and it is also very well known, that there are many kinds of air, or elastic sluids, which animals cannot breathe, without perishing, as soon as if they had no air to respire.

I might here enumerate the opinions and theories of many eminent men, particularly of Crawford, Hewson, M. Cigna of Turin, and more particularly of Dr Priestley, and observe, how gradually they have approached to truth; but fuch would be altogether fuperfluous: I will therefore only relate that, which is founded on the late discoveries of Lavoisier, the accuracy and beauty of whose experiments carry with them irrefistible conviction. He has shewn, that only that part of our atmosphere, which he calls oxygen gas, is capable of contributing to animal life; that this is received into the lungs of animals in inspiration; and that fixed air, or carbonic acid,

is thrown out in exspiration; and that azotic gas, the other part, which forms our atmosphere, enters the lungs with the oxygen gas, and departs from them, without change or alteration. He has also shewn that oxygen with carbone, or the base of charcoal, forms carbonic acid; and as this acid, in the state of air, is thrown out of the lungs in exspiration, he concludes, that the base of the oxygen gas meets with carbone in the lungs, and forms the carbonic acid. And as he has also shewn, that oxygen with bydrogen, forms water; and as there is water thrown out of the lungs, in form of vapour, it is a reasonable conclufion, that a part of the oxygen received into the lungs, unites with bydrogen there, and forms the water which is exhaled. And Lavoisier has also calculated that it requires 85 parts of oxygen to 15 of hydrogen, to form water; and 72 parts of oxygen with 28 of carbone, to form carbonic acid.

From

From the whole, this conclusion may be drawn, that it is the oxygen of the atmofpheric air, which is necessary to life; that " in this immense magazine of oxygen gas, all animals live and grow," and that the general abstraction of it, for a few minutes, would render all animal nature a lifeless The chemical powers of oxygen, mass. therefore, are obvious; and its stimulant powers will eafily be admitted, when we confider, that without it, the action of the heart instantly ceases; yet, at the same time, it appears to be the mildest stimulus, with which we are acquainted, as its action is never followed by any exhaustion of the irritability of the muscular fibre; but it rather feems to be the power which restores the irritability, whether accumulated or exhausted, to that state, known by the state of health and waking.

Water is the next general stimulus to air; and there is reason to believe, that

its stimulant effects on the body exactly correspond with those of the atmospheric air; with this difference perhaps, that the hydrogen, combined with the oxygen, may prove a stronger stimulus, and tend to produce, in a small degree, an exhausted state of irritability.

Vegetables feem the next stimulants in gradation; they are composed of oxygen, bydrogen, and charcoal, in different proportions, and some also of azote, and exhaust irritability more than air or water. Animal matter is still a higher stimulant; containing, besides the constituent elements of vegetable matter, always azote; bydrogen in greater quantity, and phosphorus, and sulphur. Vinous, and spirituous liquors, are still more powerful stimulants; and also different substances of the Materia Medica, such as opium, camphor, cantharides, &c. of these different stimuli, I will only here generally remark, that in exact proportion

to their stimulant powers, they will, when applied to the body, in any given state, produce more or less an exhaustion of irritability; more particular marks of which will be evident in the consideration of the Scales I have made.

There are other stimulant powers, besides those, which are received into the lungs and stomach; I mean, certain impressions made on the external senses, and certain sensations of the mind. Of the former, light, and sounds, are the most general; light acts as an universal stimulus; its presence enlivens all nature, and with its departure, the animal, as well as the vegetable kingdom, naturally sink into the state of sleep. Different sounds act also as powerful stimulants: the trumpet and the drum afford the soldier instances of this; and the melody of different musical instruments tells the truth strongly to the musical ear.

Different objects presented to the eye, or

lants to the body; and these are all such as make an agreeable impression on the senses; such as hope, joy, &c. and also there are a few, though not of the agreeable kind, which, by exciting sensations of anger, or resentment, prove also powerfully stimulant to the system.

It may be proper here to remark, that although all matter in itself is afferted to be more or less possessed of a stimulant power*, yet some of the sensations of the mind seem to have an effect on the body, the reverse of that produced by stimulant powers; such as the sensations of shame, fear in a certain degree, grief, &c. and directly produce a state of accumulated irritability.

^{*} Some articles of the Materia Medica, may also ultimately prove an exception to this; such as many of the neutral salts, which, though their first action is locally stimulant to the intestines, produce, by evacuation, that state of the muscular fibre, the reverse of that which stimulant matter produces, an accumulation of irritability.

Having taken a general view of different stimulant powers, to whose operation the human body is constantly subject, and of those, to which it is occasionally exposed; I will next endeavour to divide these stimulant powers into five classes, or genera:

- 1. Those stimulants, which have a chemical effect on the system, and which, at the same time, neither afford nutriment to the body, nor much exhaust irritability; such as the atmospheric air, water, some of the vegetable acids, and oxygen in its various combinations.
- 2. Those, which have a chemical effect on the system, which, at the same time, afford some nutriment to the body, and which also exhaust irritability, or are highly stimulant; such as different vegetable matter, after having undergone the vinous fermentation.
 - 3. Those, which have not any evident chemical

chemical effect on the fystem, nor yet afford much nutriment to the body, but which quickly exhaust irritability, or are highly stimulant; such as spirit of wine, in its different degrees of strength; some articles of the Materia Medica, such as vitriolic æther, and opium, in large doses; and violent passions of the mind, violent exercise, &c.

- 4. Those, which have not any evident chemical effect on the system, which do not quickly nor violently exhaust irritability, and yet afford a great degree of nutriment to the body, and stimulus to the mind; such as different kinds of mucilaginous, farinaceous, and animal matter; agreeable and moderate passions, opium in small quantities, camphor, &c.
- 5. Those, which have not any evident chemical effect on the system, which do not quickly nor violently exhaust irritability, and which also do not afford much nutriment to the body, and, at the same time, have

have tonic effects on the muscular fibre; fuch as the cortex peruvianus, ferrum in its different preparations, &c.

Though the five preceding classes comprehend every stimulus with which we are acquainted; yet experience renders it necessary to form a separate class, whose action seems entirely confined to the nervous fystem; these chiefly consist of the stimulants included in the 3d class, when exhibited in small doses, or when those of the mind are excited in a moderate degree; nothing else can explain the pleasant effects small doses of opium produce in Typhus, but that its action is entirely confined to the nervous fystem; we see a state frequently occur in Typhus, when the muscular action, or the irritability, is much exhausted, and not easily acted upon by stimulants; and yet, at the same time, a small dose of opium has an evident effect on the nervous system.

D 2

As

As there is no general rule without fome exceptions, as there is no theory, even truth itself, which "is armed at all points," and which does not admit of fome variety or exception, fo, on this occasion, it must be anticipated, that the nervous system does not always fuffer an equal exhaustion of its power, with that of the muscular fibre, and may, therefore, apparently be comparatively accumulated, when the irritability is exhausted. Perhaps this fact may be explained by an observation, which, in this place, it seems proper to mention, that fome bodies from the earliest infancy, do not only differ, with respect to the proportional powers of excitability of the nervous, and of irritability of the muscular fibre; but also with respect to the degree of both these powers, compared with those of another body; and therefore, in some, the state of healthy irritability, which I have supposed to be 50*, will, in some bodies, be at 60, and in some, at

40; and must be considered accordingly in the lessened or encreased ratio.

Having taken a concise view of the different solids of the human body, of different stimulant powers which act on these solids; I will next proceed to give an explanation of the Scales, A. and B.

The human fœtus in utero, about the conclusion of the ninth month after impregnation, is a compound of matter so organized, as to be capable of being acted upon by various stimuli, necessary to the continuance of life; and immediately on its evolution, the first stimulus it receives, (exclusive of the additional circulating blood) is a quantity of atmospheric air into the lungs; this, with the addition of some milk, or mild food, taken into the stomach, is all the stimulus it seems capable of receiving, at this period, consistent with life and health; the external senses cannot bear any strong action on them, particularly

the eye, which cannot bear the stimulus of light. In this state then, there is evidently the greatest accumulation of irritability; the smallest stimulus whatever, even that of air, and the mildest food, so readily acts upon it, as to produce almost constant fleep; with every application of stimuli therefore, the irritability is eafily exhausted, and the state of sleep is the immediate effect; and notwithstanding the state of sleep tends always to restore the irritability of the system exhausted by stimuli, yet that it never entirely restores the exhausted irritability, will appear fufficiently evident, when it is confidered, that the degree of accumulation of irritability, is less and less every day, from infancy to puberty, which is proved by the known circumstance of the fame stimulants having a lesser effect every day; as well as by the encreasing power of bearing the action of stronger stimuli; and this daily and rapid effect of the application

tion of the mildest stimuli, in lessening the accumulation of irritability, from infancy to puberty, seems only consistent with health and strength.

From the age of puberty to that of 35 years of age, the same effect takes place, as may be proved by the same observations, only in a degree less rapid. At this period of life, viz. about 35 years of age, it appears that there exists, as it were, a just and healthy equilibrium, between the powers of the ordinary stimulants, and the power of irritability in the muscular fibre; yet at the fame time, as the continued application of the ordinary stimuli, is absolutely necessary to life and health; fo the daily effects of these, is a small degree of exhaustion of irritability, and the state of healthy sleep. But again, according to the organization of our bodies, though fleep restores the healthy state of irritability in a certain degree, yet it feems never to restore actually

the former state; a small degree of exhaustion of irritability taking place every year, and this too only confistent with health, as the state which is healthy at 15, will be difease at 50 years of age. This gradual change, confequently, not only indicates the power of bearing, but also the necessity of the application of stronger stimuli, as we advance in life, until, at last, that state takes place, which we call old age, which is little affected by the ordinary, and scarce sensible of the stronger, stimuli; and as these gradually cease to make the impressions necessary to the continuance of life, the death of old age must take place. And this event perhaps would feldom be extended to the period commonly supposed*, if the fame mild, ordinary, unvaried stimuli,

^{*} The human body, being accustomed for many ages to luxury and intemperance, has so degenerated from the state in which it must have been originally formed, that it requires now more than the power of the milder stimuli, to protract life to the common period of old age.

were constantly applied, but rather at an earlier period, unless some additional and stronger stimuli, as are usually and generally applied in declining life, did not act on the state of exhausted irritability, no longer capable of being acted upon by ordinary stimuli.

Thus I have endeavoured to shew that the different states of irritability, as marked in the Scale A, attend the different periods of life from infancy to old age; and also, that these different states of irritability are produced by the application and action of stimulant powers.

From these views it easily follows, that, if a given quantity of mild and moderate stimuli can produce, in a given number of years, the ultimate effect, death; so, the sudden application and action of violent and powerful stimuli, such as vinous and spirituous liquors in large quantities; and the contagion of the plague, Typhus, &c.

E

will

will produce the same effect, in a very short space of time.

As it has also been shewn, that the application of mild stimuli, to a certain degree, is necessary to the continuance of health and life, so it will as easily be understood, that the want or abstraction of such stimuli, for a length of time, will not only produce death, but must also occasion an intervening state of irritability, the reverse of that produced by the application of stimuli, either ordinary or powerful; these two different states I have accordingly pointed out in the Scale. The fymptoms and effects of the accumulated state I will more particularly explain, when sleep, one effect of that state, is considered. For which purpose I have sketched another Scale, B; it is drawn applicable to that period of life, about 35, when in general the equilibrium between the venous and arterial fystem takes place, and the balance between the waste and

and growth of the body, and the aliment confumed, is equal, and when it is supposed, the degree of irritability, consistent with health, is at 50 in the Scale.

At every period of life, sleep seems to be the effect, either of the exhaustion, or accumulation, of the excitability of the nervous. and of the irritability of the muscular fibre, produced by the application, or abstraction, of stimuli. Of sleep, the effect of the application of stimuli, there appears to be two different states; the one healthy, the other morbid; healthy fleep is the natural effect of the application of mild and moderate stimuli; morbid sleep, the effect of very violent stimuli, long, or fuddenly, applied; it seems also a law in the animal occonomy, that the state of sleep does not take place, when the irritability is much exhausted by violent stimuli, whether applied to the body, or to the mind. Opium in large doses is an instance of the one, and violent pas-

E 2

fions

fions of the other, as well as the contagion of *Pestis*, *Typhus*, and other diseases, which latterly produce watchfulness and delirium.

Common or ordinary fleep, produced by the application and action of stimuli, from what has been faid, feems therefore to be a state, the result of a law of the animal œconomy, which takes place in order to remove the effects of stimuli applied, and to restore, as much as possible, the healthy state of the irritability and excitability of the fystem; as during that state, all stimuli cease to act, all objects cease to make any impression; while the atmospheric air is the only foreign power, which then continues to be applied, at once carrying off what is morbid from the lungs, and affifting, with the food taken into the stomach, to stimulate the heart and arteries to carry on the circulation, and to supply the waste occasioned by the common fecretions and excretions of the day. Sleep,

Sleep, both healthy and morbid, I have yet only confidered as the effect of irritability and excitability exhausted, to certain degrees; but it will also easily appear, that sleep is often the effect of accumulated irritability, and in general in the same ratio, as the former, in the manner I have pointed out in the Scale.

The existence of whatever daily occurs to the observation of all, it is surely unnecessary to prove, but not so, to endeavour to explain. It seems equally a law of the animal economy, that the state of sleep shall take place, when the ordinary stimuli, those of air and light always excepted, have been for a short time withheld, as well as when they have been applied. Though sleep takes place under both these circumstances, it is self-obvious, that the states themselves must be exactly contrary. The state of sleep to which I allude, takes place, generally, I may almost say, inevitably, in

every person, who abstains from food for 24 hours; and also at the same time, avoids the application of any stimulus to the body, fuch as exercise, such as that of agreeable conversation, or of books. This fleep again we fee take place in those, who have, from want of food, been obliged to abstain from it, for a greater length of time, notwithstanding the application of the stimulus of exercise to the body, or conversation to the mind; and such unfortunate persons as have died of hunger, generally expire in a state of sleep. This is well known to those, who have been shipwrecked, and have experienced want of proper food, for a confiderable length of time. Of every degree of fuch a state of fleep, the case of Capt. Bligh and his company in the Bounty's Launch, is a striking, and fair example. In them, the irritability of the fystem was, at first, no more accumulated, than to that degree, which produced fleep,

fleep, that refreshed them; but soon afterwards, the continued abstraction of a sufficient portion of food, together with the effects of cold and moisture, produced such a degree of accumulated irritability, that they did not enjoy much fleep; indeed, at this period, Capt. Bligh fays, he "almost lived without it." That the state of Capt. Bligh, and his company, was, at this time, that of accumulated irritability, is proved, by one tea-spoonful of rum producing effects, nearly equal to those, which it would require twenty to produce, in their usual healthy state. But it is only when the accumulation of irritability takes place in a very great degree, fuch as I have supposed, and pointed out in the Scale B, that apoplectic fleep, or fleep terminating in death, enfues; fuch is the common effect of extreme cold to travellers in winter: fuch Capt. Bligh, at last, experienced in his men, when they had long fuffered the abstrac-

tion

tion of proper stimuli.—Capt. Bligh has these words:

- "Monday, 8th June. This day the fea ran very high, and we were continually wet, fuffering much cold in the night.
- "Amongst most of the men I observed more than a common inclination to sleep, which seemed to indicate that nature was almost exhausted.
- "June 11th. Extreme weakness, swelled legs, hollow and ghastly countenances, great propensity to sleep, with an apparent debility of understanding, seemed to me melancholy truths of their approaching dissolution."

That Capt. Bligh himself did not suffer such effects from the same causes, will easily be explained, when we consider, that he enjoyed the influence of many stimuli, to which his men were comparatively strangers. I mean the stimulus of self-approbation,

tion, and that he was the means, through Providence, of faving the lives of so many persons, and all the stimuli, induced by the hopes, and the prospect of approaching pleasure and honour, in his native country.

In a less accumulated state, than this I have just described, sleep seems capable of diminishing the accumulation of irritability, and, consequently, more or less restores the healthy state; and this is proved by many observations, and by one in particular, that sleep, in such states, supplies the want of food; the appetite for it, which was experienced before fleep, not being felt immediately after fleep; indeed there are instances recorded of persons sleeping for many days, and even months, and at the fame time, neither taking, nor feeling the want of food. Each night is a proof of the same, every one in the morning, having less appetite for food, than they would

F

have

have felt, had they been in a state of health, and waking during the night.

From the whole of these observations, it will appear, that a certain degree of accumulated irritability, may produce healthy sleep; a greater degree, watchfulness, or morbid sleep, according to the causes; and a greater degree, that state, which sleep is no longer able to restore to health, and which terminates in death.

It is then, I think, fufficiently evident, that at all periods of life, the abstraction of stimuli, always supposing that of respiration to continue, will, in exact proportion to such abstraction, and to the state of irritability present, render the body more sufceptible of stimuli, or will accumulate irritability; that in infancy, when the irritability is already much accumulated, any abstraction of stimuli cannot be continued long, without exhausting it entirely, or producing death. That in proportion to

the advance of age, till the period 35, fuch abstraction can be endured with less danger to life; this period then of 35, will be the strongest in general in human life; the degree of irritability is then, at the farthest, from each extreme of death; the fystem being capable of a greater accumulation, as well as of a greater exhaustion, than at any other age. That after this period, 35, it appears, that the fystem requires the application of stimuli, in a greater degree, to preserve the state of health; which state must, from what has been said, be about one degree higher, or more exhausted every year, fo that the degree 50, which is suppofed to be the healthy state at 35, will be a state of accumulation, or 10 degrees below health at 45, or 50 years of age, and so on in the same ratio; the point of death, being 10 degrees higher from the extreme of accumulation, it being impossible to produce

F 2

the

the degree of accumulation, which is in infancy, in one of 50 years of age.

Another general conclusion may also be drawn from what has been faid; that the application of stimuli must always be varied with respect to quantity, according to the different states of irritability.—When it is much accumulated, as in infancy, or in a more advanced age, occasioned by the abstraction of stimuli, the most gentle and mild stimuli must be first applied, and gradually encreased; but when, on the contrary, the irritability is much exhausted, more powerful stimuli, and in greater quantity, must be applied. In proof of the first, we have only to confider, the common state of any animal, almost dead with want of food; if to the animal, in this state, much food be hastily given, it generally dies; but if it be carefully, and gradually applied, the animal generally recovers the powers of life. sons frozen with cold, or apparently dead

by drowning, are all instances of the same; to these, it is now known, the most natural and mild stimuli must be first applied.—To bodies frozen, the application of snow with friction, is more salutary than any artificial warmth; if such be applied, it is well known, Sphacelus ensues.

Instances in proof of the latter, or that the opposite means may be used, when the irritability is exhausted, are also common. We can apply, not only with fafety, but with the best effects, ardent spirits, to a part burned or scalded; but fuch application, to a body frozen, induces gangrene. We can apply cantharides, and large doses of opium, to a person in a state of exhausted irritability in Typhus; but we cannot, with safety, apply these stimulants to an infant. To the body of a person apparently dead by drowning, which is then in a state of accumulated irritability, produced by the total abstraction of every stimulus, the most most gentle and natural heat is first applied, and the common stimulus of respiration is endeavoured to be restored: when that can be effected, such a change takes place in the state of irritability, according to the age of the person, that more powerful stimulants can be then safely employed.

When we confider these two opposite states, and find that both cold and heat will occasion inflammation; may not there be two different states of inflammation, and each consequently require opposite treatment? Of this I will only name one instance: There is a species of opthalmia, which requires blood-letting, and the antiphlogistic regimen; and there is another, such as scrosulous opthalmia, that requires stimulant applications, such as mercury, and even ardent spirits, diluted with water.

Before I quit this part of the subject, I may take notice of a peculiar state of the system, called *Hectic*. Every circumstance

proves this state, to be that of accumulated irritability; the least stimulus, whether applied to the mind, or to the body, having confiderable effects on those affected with HeEtic. Such a state of the system, at first fight, would feem eafily changed to that of health, by the application of proper stimulants; but in this peculiar fituation of the body, there always exists some cause, absorption of pus, or injured organization of some vital organ, or violent affections of the mind, which fo constantly, and rapidly, accumulate irritability; together with the appetite being much impaired, that no healthy stimulus can be applied in sufficient quantity, to prevent the daily encreafing accumulation, which foon arrives at that point, when all the organs necessary to the continuance of life, can no longer perform their functions, and cease to act.

Having now pointed out different states of the irritability of the muscular fibre, and

consequently, of the excitability of the nervous power, as produced by the application and abstraction of stimulant powers, I will next make a very few remarks on the different existing quantities of carbone and hydrogen, which I have supposed to correspond with the different states of irritability, in Scale B. In this I have placed carbone and hydrogen in a state of accumulation, in proportion to the state of irritability, and that they both accumulate equally, according to the ratio of their existing proportions in the opposite states of irritability. The data, on which this supposition is founded, I will endeavour to enumerate, which, I hope, will at least prove, that if there is not a positive accumulation of carbone and hydrogen, in the extreme of each of these states, there is a comparative accumulation, or an over-proportion of both, to the proportion of oxygen, necessary to preferve the equilibrium of health. The analogies

lysis of animal substances, proves the existence of carbone and bydrogen, in considerable proportions, in all animal matter; and the circumstance of bodies, which have been interred, and afterwards found, in the state of animal fat*, proves not only the fame, but also, that carbone and bydrogen remain, after the oxygen has entirely disappeared, as animal fat is known to confift of 21 parts of hydrogen, with 79 parts of carbone; and the reason, that every animal body does not terminate in this state after death, and when it is no longer under the action of oxygen, Lavoisier has shewn, to be occasioned by the presence of azote, which, in these instances, where animal fat was formed, had been, by a process, not yet sufficiently known, entirely difengaged.

That the existence of oxygen in the

^{* &}quot;Rapport fur les Exhumations du Cimetiere et de l'Eglise des Saints Innocens, &c." Par M. Thouret. Med. Facts and Observations, Vol. 1, page 186.—Lavoisier's Elements of Chemistry.

healthy living body, and its absence, in a certain degree, whenever a putrescent state takes place, and that this state begins, when the healthy equilibrium of oxygen, with carbone and bydrogen, is destroyed, seems more than probable, from a variety of observations.

It has been already observed, that oxygen is received into the lungs in respiration; and Lavoisier has shewn, that the red globules of the blood contain a very large quantity of oxygen; whose experiments also, with those of Mr Hewson, Dr Priestley, and others, prove, that the blood receives its florid colour, in passing through the lungs; that the blood undergoes a remarkable change of colour, when circulating in a living animal; that the vivid arterial blood, in its passage through the extreme branches to the venous system, acquires a deep livid hue, and again receives its florid colour in the lungs. Mr Hewson

has also perceived the blood, in the right auricle, much darker, than that, in the left; and it is very well known, that blood drawn from a vein, and allowed to coagulate, in atmospherical air, assumes, on its upper surface, a more florid colour, than that, of its under furface; but if the under furface is exposed to the air, it also foon loses its dark colour, and becomes more florid. The experiments of the same perfons have also proved, that the blood is red only in proportion, as it is in contact with dephlogisticated air, or the oxygen gas of Lavoisier more properly; and that it loses its redness, when exposed only to bydrogen, or azotic gas, or the carbonic acid, or to any unrespirable air, or even in the exhausted receiver of an air-pump: and that, on the contrary, it receives its red colour, when again placed in contact with oxygen gas, or with atmospherical air; and that this restoration of the red colour, is constanly at-

G 2

tended

tended by a diminution in the volume of the air. From all these observations, it may safely be concluded, that in exact proportion to the encrease of the dark colour of the blood, is the desiciency of oxygen, and the encrease of the tendency to a putrescent state; and that oxygen is the general and only corrector of such a tendency, which is ever present, even in the healthy body, and very rapid in some diseases, such as Pestis and Typhus.

Having now given a concise view of the observations on which I was induced to place the existence of carbone and bydrogen, according to the degrees in the Scale B*, I will next proceed to apply the result of the whole, to the explanation of the causes and cure, and cause of death, in Typhus.

^{*} It will be of course understood, that the quantities, or even the proportions, given in the Scale, are by no means intended as positive—to estimate the quantities, appears an unnecessary, and perhaps, an impossible, task; and the proportions, therefore, are only intended to be comparative.

I consider it unnecessary to make any remarks on the different states of arterial and venous plethora, which I have marked in Scale A, as they have been long established in physiology; I have only noticed them, as they seemed connected with the subject of irritability, to render the Scale more complete.

ther extensive field of observation and argument, on the causes which produce, on the immediate or proximate cause, and on the cure of Typhus; before I attempt the explanation of either of these, it is necessary that I should first endeavour to show, that Typhus is, in every view, a distinct genus from any other fever*; and that it is very

^{*} On this subject, I have an object strongly at heart, which is, to banish the idea of all severs being of the same genus, and of each being only species and varieties; and also that of the synocha, or continued sever, arising from the same cause, as that of the intermittent; and I hope, at some suture period, to be able to accomplish this wish.

properly confidered so, will, I think, be easily proved, by taking into consideration, the definition of *Typhus*, as given by Dr Cullen:

"Morbus contagiosus; calor parum auctus; pulsus parvus, debilis, plerumque frequens; urina parum mutata; sensorii functiones plurimum turbatæ; vires multum imminutæ."

Typhus being a contagious fever, is alone fusficient, to induce every physician to confider it a distinct genus from any other, as no other fever, whether intermittent, remittent, or continued, has this characteristic, except Pestis, which seems to be a violent species of Typhus, or the Typhus gravior, of Dr Cullen*.

As the Synocha of Dr Cullen is the fever,

^{*} Many of the exanthemata are contagious, but such cannot be opposed here with any propriety.

from which Typhus is supposed to be improperly considered, as a distinct genus, and as, by some, even the existence of Synocha has been doubted; with this fever, therefore, I will draw a parallel, with a view, not only of proving Typhus a distinct genus, but also, the existence of such a fever, as the Synocha of Dr Cullen.

Typhus, as has been already taken notice of, is a contagious difease; Synocha is never contagious; in Typhus, "calor parum auctus," is perceived; in Synocha, "calor plurimum auctus;" in Typhus, "pulsus parvus, debilis, plerumque frequens;" in Synocha, "pulsus frequens, validus, et durus;" in Typhus, "urina parum mutata;" in Synocha, "urina rubra," (et parca, might be added); in Typhus, "sensorii functiones plurimum turbatæ, vires multum imminutæ;" in Synocha, "cha, "sensorii functiones parum turbatæ."

The striking contrast of these symptoms, and their peculiarity, is, I think, sufficient

to prove, the propriety of confidering Typhus, a distinct and separate genus from
Synocha, and from any other sever.

With respect to the existence of such an idiopathic fever as Synocha, I will only fay, that, independent of the experience of Dr Cullen, and others, who have affured me, they have frequently feen it; I can affert, that I have, more than once, feen a fever, exactly confonant to the definition of the genus Synocha of Dr Cullen, and of the idiopathic character of fever. It may be objected, to the parallel I have drawn, that both the definitions are given by an author, who has placed, in his nofology, another genus of fever, differing from both Synocha and Typhus, and yet combined of both: But, I believe, most physicians now allow, that the Synochus of Dr Cullen is a genus entirely superfluous; I have been informed, that Dr Cullen himself doubted the propriety of establishing such a genus;

but, being a clear nosologist, he was willing to give his pupils every form of fever, which he had feen; that the knowledge might check the ardor of the young, and regulate the practice of the incautious, and inexperienced. From every observation I have made, among a very great number of patients, I have ever had reason to believe, that the difference in the habit of body, was the only cause of Typhus, sometimes immediately assuming all the symptoms peculiar to itself, and fometimes of being preceded by fome symptoms of Synocha. To exemplify this, we need only suppose, (independent of the difference of temperaments) that, if a strong and robust man is feized with the contagion of Typhus, the fymptoms, at first exhibited, will agree very much with those of Synocha, and be very different from those first exhibited in a body weak and reduced.

The remote causes of Typhus are those,

H which

which pre-dispose the body to the disease, and those which excite it; of the latter, contagion is allowed to be a common cause. Though Typhus is considered as a disease produced by contagion, yet this contagion, like many others, may be generated in the body, the effect of the concurrence of certain pre-disposing, and exciting causes, independent of foreign contagion; this, I think, cannot admit of any doubt; some of these causes I will shortly enumerate.

The more the irritability is accumulated by any of the causes mentioned in Scale B, by the abstraction of the ordinary and proper stimuli of food, by depressing passions, or by disease, the more easily it will be affected by contagion: all those causes therefore, may be considered as pre-disposing causes of Typhus, and the state of accumulated irritability, the pre-disponent state, being most liable to the action of contagion, or with the addition of other exciting causes,

causes, generating the disease. Of these, the principal are, impure air, want of clean-liness, and of exercise, and cold with moisture.

The instances we have of these causes producing Typhus, are too numerous to mention, particularly that of impure air, to which alone the fever can be attributed in jails, hospitals, ships, &c. Impure air, or air containing an over-proportion of azote, or of any unrespirable air, and consequently, not sufficient oxygen to carry off the accumulating carbone of the fystem, may easily be understood to act as an exciting cause. The over-proportioned azote (the equilibrium being destroyed by the deficiency of oxygen) may combine with the hydrogen of the fystem, and produce a morbid volatile alcali; or the want of cleanliness alone, by generating, or accumulating the hydrogen and carbone of the fystem, and thereby destroying the equilibrium, and also by exhausting the oxygen of the furrounding atmosphere, may ultimately produce the same effects, and the fever called *Typhus*, be produced.

Whether then we take a view of the effects, which these exciting causes, or which the contagion, when already generated and applied, produces on the body, we cannot hesitate to pronounce all of them to be highly stimulant, and that they will quickly exhaust the irritability of the system. The knowledge which we now possess of the powers of hydrogen and carbone, entirely leaves the result beyond all doubt whatever. From these views, the Proximate cause of Typhus will be easily understood; an over-proportion or accumulation of carbone and hydrogen, and an exhausted state of irritability.

From the remarks I have already made, on the effects of oxygen on the blood, both in the state of circulation, and when drawn from a vein, and allowed to cool, from the difference of the colour of the returning blood,

blood, with that, which has just passed through the lungs, and from our knowledge, that the red globules are oxyids, and from the fimilar appearance, which the blood, in a person labouring under Typhus, has with the returning venous blood, and from the anxiety in respiration, which they, who labour under Typhus, always discover, we can have little doubt, I think, that the morbid accumulation of carbone and hydrogen, or the deficiency of oxygen, is the cause of the symptoms of Typhus, the principal of which are, besides those common to Pyrexia, universal debility, and a rapid tendency to a putrescent state. Oxygen is the universal antiseptic of all Nature; carbone and bydrogen, are, with azote, the putrefactive principles; with the decrease of oxygen, will encrease the tendency to putrefaction, and with the encrease of the tendency to putrefaction, will the irritability be exhausted, and symptoms of debility,

in both body and mind, be progressively evident.

The indications of cure in Typhus, easily follow the knowledge of the causes; these are therefore three:

- 1. To avoid the remote causes.
- 2. To remove the Proximate cause. And
- 3. To restore the healthy state of the irritability of the system.

The knowledge of the remote causes may enable us to answer the first indication, by every means being taken to avoid them.

The *Proximate* cause, or the accumulation, or over-proportion, of *carbone* and *by-drogen*, can only be removed, as will appear, from all that has preceded, by the application of *oxygen* in sufficient quantity, to correct this morbid accumulation, and to restore the state of healthy equilibrium*.

Oxygen

It is with much pleasure that I have perceived an ingenious

Oxygen taken into the stomach, in the combined state of many different acids, may answer this intention, but in the state of the acid of nitre, combined with potash, feems to me the most easy, and most powerful form of exhibiting it; the process for obtaining pure oxygen, in the state of gas, in order to throw it into the fystem, by the lungs, would be not only tedious, but difficult. In the state therefore, of the neutral falt, nitre, it appears to me at present, from every observation, to be the most effectual mode of throwing it into the fystem. Mr Wood, furgeon, in Berwick, has used this medicine in this fever, invariably during a long and extensive practice. In a letter, which I lately received, he uses these words: "I never kept any minutes of the number

nious attempt by Dr Crawford, to apply the refult of our improved chemical knowledge, to pathological purposes. Vid. Phil. Trans. of the Royal Society of London, vol. lxxx. year 1790, Part II. and Medical Facts and Observations, vol. ii. page 182.

of patients to whom I gave nitre in fever, but this I am fure of, that I have given it in fever for more than thirty years, with incredible fuccess, and in that time to a very great number of patients, in every rank, especially among the lower ranks, and to a great number of soldiers and sailors. If the fever did not come to a crisis before the 13th day, I generally gave Dr James's Powder, beginning with five grains to a grown person, but I had not often occasion to give it; if you try nitre, you will find it a wonderful medicine in fever; give it three or four times a day."

I have lately exhibited nitre in the form of folution, to 15 patients, labouring under Typhus; many of whom, when I first saw them, had all the symptoms, in a very violent degree; I did not give to any of these, any antimonial, but I immediately exhibited the solution of nitre; in two or three of them, the pulse, which was from

100 to 130, was diminished in frequency, and encreased in strength, before the expiration of the first 24 hours; the change, indeed, was often fo great, that I rather fupposed it to be the effect of some other cause, than of the operation of the folution; to convince myself of this, I gave it to two patients, whose pulses were from 120 to 130, and found, on my visiting them the next day, both reduced below 100; all of the number I mention, (and indeed I have not lost a patient in Typhus, fince I have given the nitrous folution*) recovered before the 10th day, some on the 5th, 6th, and 7th. I shall certainly wait for the result of farther experience, before I eradicate from

^{*} The following was the formula commonly used:

R. Nitri Purificati drachmam unam cum semisse,
Aquæ Distillatæ uncias septem;
Solve salem, et adde
Syrupi Sacchari albi unciam unam,
Tincturæ Lavendulæ Comp. drachmas duas; misce.
Capiantur una, vel duæ unciæ, secunda, vel tertia, quaque hora.

my mind the doctrine of critical days, or that, of the continued succession of paroxysms, in Typhus, or Synocha; but, at the same time, from the view I at present have of the Proximate cause of Typhus, and from the effect of oxygen, in entirely banishing every febrile symptom in a few days, I cannot but feel a doubt of any good foundation for fuch doctrines. If the Proximate cause, which I have given, is true, it necessarily follows, that the disease must disappear, the moment the cause is removed, whether in the first hour, or on the 20th day; those diurnal revolutions, however, which are perceived to take place, in a state of health, may easily be supposed to be more apparent in the state of fever; I mean the states of remission, and exacerbation.

The above result of the practice recommended in Typhus, was written in the month of July, 1792; between which period

riod, and the first of December, I have tried the nitrous solution, to 35 patients, who were affected with all the marked symptoms of Typhus, in a violent degree, and to 13, who were affected in a less violent degree, all of whom recovered, and the greatest number, in less than ten days.

Previous to the practice which I now pursue, I never visited a patient in Typhus, without experiencing some of those feelings, which the physician is obliged to suffer, when he visits a patient labouring under confirmed Phthiss. I could not but feel much despair in the success of a method of cure, which has so repeatedly failed; besides these feelings, having imbibed the idea of the necessity of the fever continuing for 14, or some certain number of days, I sat down before it, as it were, to commence a siege, and by the force of example, I steadily believed in this theory, and persevered in the practice, until the

early sun-shine of returning health banished from my mind the error of the one, and the strongest of all buman convictions seemed to prove the inefficacy of the other.

On this subject, and in this place, let me do every homage to the judgment, as well as to the memory, of the Man, who was (alas!) univerfally acknowledged to be the first Philanthropist of the age; the present practice, in the Typhus of the gaols, did not escape his all-attentive eye*. "No effectual reform," he fays, "will be made in our prisons, till the root of these evils" (immorality in its various forms) "be cut off, which, from the closest observation, I am convinced is the vice of drunkenness. To this end, restraints must be laid, which will, to many, I am fenfible, appear harsh and severe; but in this matter, there is no medium; any indulgence to particular classes of

^{*} See the "Account of the principal Lazarettoes in Europe," by John Howard.

prisoners, will ruin the whole defign. It will, in my idea, be absolutely necessary, to prohibit the introduction of any kind of liquor, except milk, whey, butter-milk, or water, into gaols.—With regard to the health and real comfort of prisoners, I am perfuaded, they would be promoted by fuch a prohibition." And, in a note, he adds, "If Gentlemen of the Faculty, and others, still object to the exclusion of all fermented liquors from gaols, under the idea, that their use is in some measure neceffary, as antiseptics, I would desire them to confider, that by the proposed dietary, prisoners are to have a warm dish, chiefly of vegetables, twice a day; -and that of female prisoners, who in general drink very little beer, a small proportion, compared with the men, die in prison. I am senfible my ideas are contrary to the present fashionable mode of prescription, which, I am persuaded, confirms the habit of drink-

1 Transfer

ing strong liquors, both in town and country; but may I not hope, that the opinions of Medical Gentlemen will, in time, alter as much on this subject, as I have seen in their treatment of the Small-pox?"

I may perhaps take notice in this part, of other remedies recommended in Typhus. Fixed air has been faid to have been used with success; it will be obvious, however, that the tonic, or antiseptic powers of fixed air, can only be derived from the oxygen of this acid; the charcoal cannot possess any such power, it being composed by analysis and synthesis, of 72 parts of oxygen, with 28 of charcoal.

Many neutral falts likewise, which have been found useful in Typhus, can only have their good effects from the oxygen, with which they are in a state of combination. Thus alum owes its powers to the oxygen of the sulphuric acid, which it contains in great quantity.

In order to explain every mystery, and convince those who may be attached to an old practice; I will beg leave to enquire, if, in those patients who have recovered from Typhus, by the use of the bark, as it may have been supposed they have, any credit was ever given to the acid in alum, or to the vegetable acids of the orange, or the lemon, or of other fruits, which were at the same time exhibited with the bark; or to the local state of the surrounding atmosphere?

The third indication of cure, which I have named, is to restore the healthy state of the irritability of the system; perhaps this indication in general may be altogether superstuous, as the exhausted state of irritability in Typhus, is the effect of the stimulant action of accumulated carbone and bydrogen, and consequently, when the equilibrium is restored, by the application of oxygen, the irritability will, by the powers of the animal occonomy, be naturally restored to the state of health.

But when, on the contrary, the morbid effects of accumulated carbone and bydrogen continue to encrease, from the continuance of their accumulation, the irritability will be at last so far exhausted, as to produce the state of death.

But, from this I would not conclude, that the accumulation of carbone and hydrogen, though it is the Proximate cause of Typhus, to be also the cause of death in this sever; such accumulation I would only consider as the cause of the exhausted irritability and excitability, and the irritability and excitability exhausted, to be the immediate cause of death in Typhus.

A numerous class of stimulants, such as wine, brandy, opium, &c. have been given in Typhus, with the view* of preserving and

^{*} In another light also, have powerful stimulants been promiscuously given, in every case of exhausted irritability, by the rigid followers of the late Dr Brown, with the idea, (the most common rock on which so many have foundered) that there are only two states of the body, and that that of exhausted irritability

and restoring the healthy state of the irritability of the system; but it must appear immediately obvious, from what has been faid on the effects of the application of fuch stimulants in large quantities, that, although their immediate action is to give to the fystem a degree of energy and excitement, their ultimate effects tend to exhaust that very power, which is wished to be preferved and restored. Therefore, as soon as the effects of excitement produced by one dose of such stimulants are past, another dose is immediately necessary; but then it always happens, that the fecond dofe must be stronger than the first, as, the excitability being more exhausted, an encreased dose is requisite to produce the state of

irritability is to be cured, whatever the disease, by the use of stimulants. But it should be considered, that, although every remote cause will produce one or other of these two states of irritability, yet the same cure is not always applicable, as the causes are different, and consequently, the remedies must likewise be so; and besides, the state of irritability is generally only an essect, not a cause; only a consequence, not the disease.

excitement, which the first dose produced; the third dose again, for the same reason, must also be encreased, and the conclusion, of course, must be total exhaustion of irritability, or the state of death, as certainly, as if the same stimulants were poured into the body, as quickly and regularly, in a state of the most sound health.

From the whole of these considerations then, it will appear, that those classes of stimulants can only be continued with success in Typhus, which have a falutary chemical effect on the system, whose action is not followed by any violent exhaustion of excitability, or irritability; and those, which at the same time, afford some degree of nutriment to the body. The 1st and 4th classes then, will be more particularly adapted to the cure of Typhus. Of these, oxygen is the sirst; and next, those which afford some nutriment to the body, which

are in a small degree stimulant, and do not much exhaust the irritability; of these may principally be mentioned, the strong juices of different kinds of animal matter obtained by decoction in water, and particularly of beef, venison, mutton, and the nutritive juices of several young animals, obtained in the same manner.

In the beginning of the fever, and while the fenses are capable of sensation and perception, the influence of many of the stimuli of the mind* may have the most salutary effects; particularly, Hope, and confidence in recovery; agreeable objects also presented to the external senses, and pleasant ideas excited by every usual means, will tend, in no small degree, to contribute to this part of the cure of Typhus.

Though I have endeavoured to shew, that only the particular classes of stimulants which I have mentioned, viz. 1st and 4th,

^{*} See "A Differtation on the Influence of the Passions upon Disorders of the Body," by W. Falconer, M.D.

can be applied with fuccess in Typhus, and that the continued use of any of the stimulants of the other classes, cannot be defended as a fafe practice; at the same time, it must be allowed, that an occasional use of them to preferve the living principle, until more healthy stimulants can be employed, may be attended with the highest advantage, when the irritability is fo much exhausted, and such extreme debility has taken place, that only the most powerful stimulants can have any effect; of these I am inclined to give the preference to the stimulus of cantharides, applied in the form of plaisters, to the external furface of different parts of the body; the application of which alone, or fometimes preceded by the camphorated mixture taken internally, and alternately with the nitrous folution, I have found to succeed to my utmost wishes in cases of the most extreme debility; and I ufed

used this practice to many of the patients in the number I formerly mentioned.

Some tonics also may prove assistant to answer this indication; such as Ferrum in its different preparations, or dissolved in water, which has been previously saturated with the carbonic acid. As a tonic, or perhaps with more propriety, as a chemical stimulant, Vinum Lusitanum, diluted with water, may be occasionally used with desirable effects. The use of this wine, when symptoms of great debility shall indicate, or when other stimulants are disagreeable, may also be a means of preserving the living principle, until the action of the more mild and natural stimulants can take place, in a sufficient degree.

When it is considered then, what must be acknowledged by every candid Practitioner in Physic, that the present practice of exhibiting indefinite quantities of bark, and of violent stimulants, for the cure of Typhus,

is often unfuccessful, and not yet explained on any theoretical principles; and that the practice, founded on the theory here pointed out, has been, in all the trials hitherto made, successful, even to a degree higher, than the most sanguine Theorist could expect; may not the following corollaries be safely drawn?

That the present common and general method of cure in Typhus, is very precarious, and is founded more on empirical than dogmatical principles.

That the success of the method of cure, now recommended, is, at least, equal with, if not greater than, the method commonly followed; and, consequently, equally preferable, and entitled to cool attention and impartial trial.

ERRATUM.

BANKS TO BE THE RESIDENCE OF THE PARTY OF

and full-lane a second control of the

miner, the state of the same o

THE DESIGNATION OF THE PERSON OF THE PERSON

and the common of the education

- I would be to be a series of the series of


Page 1. Preface, for Versaur, read Verschuir.

- La Lange

The state of the s

A.	Death.	Old Age.		Advanced Life.		EQUILIBRIUM.		Puberty.	Infancy.	Death.	-SIMUS IBIS.
Years of Life.		1 041	59	55	5+	31-15	152	51	15 10		Years of Life.
Exhaulted irritability.		01 51	07	130	011	0 5	1 09	04	1.08 28	106 56 001	Accumulated irritability.
Venous Plethora.		041	591	55	541	5 8	15+	155	1.59 1.04		Arterial Plethora.
SCALE	Death.	Old Age.		Advanced Life.		EQUILIBRIUM.		Puberty.		Death.	MEDIO TUTIS-

.



	B,	State_Death.	State—Caufes. Continued action of the contagion of $Peffit$, $Typhus$, $Variola$, &c. of extreme heat, throng liquors, violent pattions, fevere exercite, large dole of opium.	State—Caufes. 1. Action of the contagion of Peffix, Typhus, Variala, &c., large doke of opium. 2. Extreme heat, strong liquors, violent passions, severe exercise, &c.	State—Caufes. Application of ordinary flimuli in greater quantity than Nature requires, finall quantity of vinous or fpirtuous lignous, finall dole of optum, &c.	State—Caufes. Temperate application of the ordinary flimuli of light, food, moderate ex, ercife, agreeable paffions, &c.	ORDINARY HEALTHY STATE.	State—Caufes. Abstraction, for a short time, of the ordinary stimuli of light, food, exercife, agreeable passions, &c.	State—Caufes. Continued abstraction of the ordinary timuli, &c. difeases, lethargy, hypochondriasis, hysteria, &c.	State—Caufes. r. Continued abstraction of the ordinary finauli; depressing passions; all the causes of hectic.	State—Caufes. Continued abftraction of ordinary flimuli, continued action of depreffing paffions, of the caufes of hectic, of extreme cold.	State	ALTERUTER FINIS.
irritability.	Exhaufted	0 5	01	07	130	07	0 5	09	104	1.04	1 5+	100 02	Accumulated carbone.
ed carbone.	Accumulate	05	5+1	ot	135	1 30	5 2	301	35	a programme of the second	101	15 0	Exhaulted oxygen.
ox)Ben.	Lxhaufted	0 5	01	07	25	071	5 2	30	1 58	l op	154	05	Accumulated bydrogen.
·nagorbya ba					30	ot.	0 5	09	1.04	98	106	1 56 001	Accumulated excitability.
excitability.	Fxhaufted	0 5		07							State	ate	
			State	State	State	State	N	State	State	State	St	-State	
•	SCALE		Stupor, Delinium, \(\)	1. Watchfulnefs, with Delirium, or, 2. Apoplectic Sleep.	Unnatural, or, Teored Sleep. S	Natural Healthy Sleep.	HEALTHY STATE OF WAKING.	Healthy Sleep	Unnatural, or, Unhealthy Sleep.	1. Watchfulnels, with Definium, or,	Stupor, Delirium, Infensibility.	Death-	OMNES MANET

ENTERIORS TS.

AND THE RESERVE TO THE PARTY OF THE PARTY OF

•

**